

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20050022213".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:10
S2	1	"5086502".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/07 18:27
S3	1	"5404508".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/07 18:26
S4	1	"6301677".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/07 18:27
S5	0	journal same delta near3 file same marker same ((recovery near3 point) or (recovery near3 processing))	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:11
S6	326273	journal or delta near3 file same marker same ((recovery near3 point) or (recovery near3 processing))	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:11
S7	1	(journal or delta near3 file) same marker same ((recovery near3 point) or (recovery near3 processing))	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:11
S8	1	(journal or delta) same marker same ((recovery near3 point) or (recovery near3 processing))	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:11
S9	301	((recovery near3 point) and (recovery near3 processing))	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:11
S10	185	S9 and (journal or log or delta)	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:13
S11	54	S10 and (sequence near3 number)	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:13
S12	23	S11 and ((image near3 data) or snapshot)	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:14
S13	3	S12 and ((log or journal or delta) near3 marker)	US-PGPUB; USPAT	OR	OFF	2005/12/08 10:18
S14	4	(data near3 recover\$3) same (log or journal or delta) near3 marker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:37
S15	4	(data near3 recover\$3) same ((log or journal or delta) near3 marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:38
S16	1012443	delta (file or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:38
S17	242	delta adj (file or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:38
S18	0	S17 and restore adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:39
S19	454533	S17 and restore or recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:39
S20	91	S17 and (restore or recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:39
S21	3	S20 and marker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:39
S22	3	(document near3 (backup or back\$1up)) same (journal or log or delta)	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:03
S23	2	delta same document same recovery	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:04
S24	294	delta and (file near3 (recover\$3 or restor\$3))	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:09
S25	111	S24 and ((image near3 data) or snapshot)	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:05
S26	18	S25 and (sequence near3 number)	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:05
S27	21	S24 and marker	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:45
S28	262	(data adj processing) same (data adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:54
S29	98	S28 and (journal or log or delta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:54
S30	1	S29 and ((journal or log or delta) adj marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:55

S31	1	S29 and ((journal or log or delta) near3 marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:55
S32	10	S29 and ((journal or log or delta) same marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:05
S33	354	(log or journal) near3 marker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:05
S34	56	S33 same ((recovery near3 processing) or (recovery point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:08
S35	6	S34 same ((data near3 image) or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:06
S36	50	S34 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:08
S37	1	"6526418".pn.	USPAT	OR	OFF	2005/12/08 16:26
S38	288718	point-in-time recovery	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:33
S39	46	(point-in-time near3 recovery)	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:35
S40	5	(point-in-time near3 recovery) and journal	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:34
S41	34	S39 and (journal or log or delta)	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:36
S42	40	S39 and (journal or log or delta)	US-PGPUB; USPAT	OR	ON	2005/12/08 16:36
S43	1	S42 and marker	US-PGPUB; USPAT	OR	ON	2005/12/08 16:36
S44	180	snapshot and ((recovery near3 point) or marker or (safe near3 point) or safe point) and (log or journal or delta) and (sequence near3 number)	US-PGPUB; USPAT	OR	OFF	2005/12/08 16:47
S45	4	(snapshot same journal same (update or recovery)) and S44	US-PGPUB; USPAT	OR	ON	2005/12/08 16:48
S46	15	(snapshot same (journal or log or delta) same (update or recovery)) and S44	US-PGPUB; USPAT	OR	ON	2005/12/08 16:58
S47	1	user same request same (marker near3 journal near3 entry)	US-PGPUB; USPAT	OR	ON	2005/12/08 16:58
S48	0	user same retrieve same (marker near3 journal near3 entry)	US-PGPUB; USPAT	OR	ON	2005/12/08 16:59
S49	1	user same retrieve same (marker near3 journal near3 entry)	US-PGPUB; USPAT	OR	ON	2005/12/08 16:59
S50	908	(snapshot or data adj image) same (journaling or (log or journal))	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:04
S51	1124	(snapshot or data adj image) same (journaling or (log or journal))	US-PGPUB; USPAT	OR	ON	2005/12/08 17:08
S52	17	S51 and (journal or log) near3 marker	US-PGPUB; USPAT	OR	ON	2005/12/08 17:04
S53	74	S51 and recovery near3 point	US-PGPUB; USPAT	OR	ON	2005/12/08 17:08
S54	3	S53 and (marker same insert\$4 same note)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:09
S55	29	S53 and (insert\$4 same note)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:10
S56	28	apply same journal same (snapshot or data near3 image)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:11
S57	5	S56 and (marker or recovery near3 point)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:19
S58	0	"20040139128".pn. and marker	US-PGPUB; USPAT	OR	ON	2005/12/08 17:19
S59	0	"20040139128".pn. and (recovery adj point)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:20
S60	1	"20040139128".pn. and (recovery near32 point)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:20
S61	1	"20040139128".pn. and (recovery near3 point)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:20
S62	1	"20040139128".pn. and (restoration near3 point)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:21
S63	4	journal same identify same events same marker	US-PGPUB; USPAT	OR	ON	2005/12/08 17:22
S64	1	(journal near3 marker) same mark same (event or action)	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:40
S65	1	(journal near3 marker) same (mark or note or identify) same (event or action)	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:41
S66	3	((journal or log) near3 marker) same (mark or note or identify) same (event or action)	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:41
S67	36	(journal or log) near3 bookmark	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:46
S68	787	(journal or log) near3 identifier	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:57
S69	0	S68 same snapshot]	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:47

S70	12	S68 same snapshot	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:47
S71	12	S68 same image	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:48
S72	12	S71 not S70	US-PGPUB; USPAT	OR	OFF	2005/12/08 17:48
S73	186	S68 and (snapshot or (data near3 image))	US-PGPUB; USPAT	OR	ON	2005/12/08 17:58
S74	1	S73 and (recovery near3 marker)	US-PGPUB; USPAT	OR	ON	2005/12/08 17:59
S75	67	S73 and recovery	US-PGPUB; USPAT	OR	ON	2005/12/08 17:59
S76	6	S75 and marker	US-PGPUB; USPAT	OR	ON	2005/12/08 18:03
S77	4766	(journal or log) and snapshots	US-PGPUB; USPAT	OR	ON	2005/12/08 18:03
S78	1	S77 and (journal or log) near3 annotations	US-PGPUB; USPAT	OR	ON	2005/12/08 18:04
S79	799	(journal or log) same snapshot	US-PGPUB; USPAT	OR	ON	2005/12/08 18:04
S80	35	S79 and ((journal or log) near3 (annotation or meta\$1data))	US-PGPUB; USPAT	OR	ON	2005/12/08 18:05
S81	1	(mark near3 journal) same restor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:12
S82	235	((mark\$4 or annotat\$4 or not\$4) near3 (journal or log)) same (restor\$4 or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:13
S83	57	S82 and snapshot and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:13
S84	13	S83 and apply near3 (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:18
S85	1	"5603024".pn. and marker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 09:19
S86	235	((mark\$4 or annotat\$4 or not\$4) near3 (journal or log)) same (restor\$4 or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:21
S87	109	((mark\$4 or annotat\$4 or note) near3 (journal or log)) same (restor\$4 or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:33
S88	1143	mark\$4 same (event or action) same (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:34
S89	51	S88 same detect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:43
S90	1	(journal near3 entry) same (note near actions near3 performed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:44
S91	1	((journal or log) near3 entry) same (note near actions near3 performed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:44
S92	1	((journal or log) near3 entry) same (note near3 actions near3 performed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:45
S93	1	((journal or log) near3 entry) near3 (note near3 actions near3 performed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:05
S94	155	(journal or log) same (detect near3 operation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:12
S95	7	Insert same time same sequence same marker same (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:13

S96	97	restore adj point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:29
S97	49	S86 and journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:32
S98	0	S97 and (journal same (restore adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:29
S99	21	S96 and journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:32
S100	0	journal same (restore adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:33
S101	0	insert same journal same note same action\$1 same performed	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:15
S102	0	insert same journal same note same action\$1 same performs\$3	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:15
S103	0	insert same journal same note same action\$1 same execut\$3	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:15
S104	543968	insert same journal same note ame execut\$3	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:15
S105	2	insert same journal same note same execut\$3	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:15
S106	40	journal same note same execut\$3	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:16
S107	4	descriptive near3 (journal or log) near3 entry	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:17
S108	109	marker near3 journal	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:17
S109	109	marker near3 journal\$1	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:32
S110	1	"20050193031".pn. and marker	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:19
S111	1268	marker same journal\$1	US-PGPUB; USPAT	OR	OFF	2005/12/09 12:32
S112	19	place same marker same journal\$1	US-PGPUB; USPAT	OR	OFF	2005/12/09 13:14
S113	82	store same restore same data same (journal or log)	US-PGPUB; USPAT	OR	ON	2005/12/09 13:16
S114	1	store same (restore near3 point) same data same (journal or log)	US-PGPUB; USPAT	OR	ON	2005/12/09 13:17
S115	301	(journal or log) and (restore near3 point)	US-PGPUB; USPAT	OR	ON	2005/12/09 13:18
S116	54	(journal or log) near3 entry and (restore near3 point)	US-PGPUB; USPAT	OR	ON	2005/12/09 13:33
S117	1	"6526418".pn.	US-PGPUB; USPAT	OR	ON	2005/12/09 16:40
S118	1	"20050022213".pn.	US-PGPUB; USPAT	OR	ON	2005/12/09 16:40
S119	1	"20050022213".pn. and predetermined	US-PGPUB; USPAT	OR	ON	2005/12/10 12:50
S120	1	"20050193031".pn. and predetermined	US-PGPUB; USPAT	OR	ON	2005/12/09 16:54
S121	1	"20050193031".pn. and monitoring	US-PGPUB; USPAT	OR	ON	2005/12/10 11:49
S122	0	"20050193031".pn. and display	US-PGPUB; USPAT	OR	ON	2005/12/10 11:49
S123	1	"20050193031".pn. and (display or show or view)	US-PGPUB; USPAT	OR	ON	2005/12/10 12:50
S124	0	"20050193031".pn. and (user\$1information)	US-PGPUB; USPAT	OR	ON	2005/12/10 12:50
S125	0	"20050193031".pn. and (user-information)	US-PGPUB; USPAT	OR	ON	2005/12/10 13:27
S126	1	"20050022213".pn. and (user\$1information)	US-PGPUB; USPAT	OR	ON	2005/12/10 13:26
S127	0	"20050022213".pn. and (image) and (target adj data adj file)	US-PGPUB; USPAT	OR	ON	2005/12/10 13:27
S128	1	"20050193031".pn. and (image) and (target adj data adj file)	US-PGPUB; USPAT	OR	ON	2005/12/10 14:06
S129	1	"20050193031".pn. and sequence	US-PGPUB; USPAT	OR	ON	2005/12/10 15:03
S130	2	(undo\$5 near3 journal) same update same (image or snapshot or (source near3 file))	US-PGPUB; USPAT	OR	ON	2005/12/10 15:03
S131	12	cancel same journal same update	US-PGPUB; USPAT	OR	ON	2005/12/10 15:09
S132	11	rollback same journal same updates	US-PGPUB; USPAT	OR	ON	2005/12/10 15:11
S133	139	updates same (snapshot or image or data or (source near3 file)) same undone	US-PGPUB; USPAT	OR	ON	2005/12/10 15:11
S134	44	S133 same (journal or log)	US-PGPUB; USPAT	OR	ON	2005/12/10 15:11

S13 5	2	S134 and (before near3 journal) and (after near3 journal)	US-PGPUB; USPAT	OR	ON	2005/12/10 15:12
S13 6	2	S134 and (fast or quick) near3 update	US-PGPUB; USPAT	OR	ON	2005/12/10 15:13
S13 7	22	S134 and (fast or quick)	US-PGPUB; USPAT	OR	ON	2005/12/10 15:13